

1. Ferrucci L, et al.: Subsystems contributing to the decline in ability to walk: bridging the gap between epidemiology and geriatric practice in the InCHIANTI study.
J Am Geriatr Soc. 2000 Dec;48(12):1618-25.
2. Barbieri M, et al.: New aspects of the insulin resistance syndrome: impact on haematological parameters.
Diabetologia. 2001 Oct;44(10):1232-7.
3. Bartali B, et al.: Changes in anthropometric measures in men and women across the life-span: findings from the InCHIANTI study.
Soz Präventivmed. 2002;47(5):336-48.
4. Corsi AM, et al.: Myostatin polymorphisms and age-related sarcopenia in the Italian population.
J Am Geriatr Soc. 2002 Aug;50(8):1463.
5. Lauretani F, et al.: Age-associated changes in skeletal muscles and their effect on mobility: an operational diagnosis of sarcopenia.
J Appl Physiol. 2003 Nov;95(5):1851-60.
6. Russo CR, et al.: Aging bone in men and women: beyond changes in bone mineral density.
Osteoporos Int. 2003 Jul;14(7):531-8.
7. Barbieri M, et al.: Is chronic inflammation a determinant of blood pressure in the elderly?
Am J Hypertens. 2003 Jul;16(7):537-43.
8. Geroldi C, et al.: Mild cognitive deterioration with subcortical features: prevalence, clinical characteristics, and association with cardiovascular risk factors in community-dwelling older persons (The InCHIANTI Study).
J Am Geriatr Soc. 2003 Aug;51(8):1064-71.
9. Di Iorio A, et al.: Serum IL-1beta levels in health and disease: a population-based study. 'The InCHIANTI study'.
Cytokine. 2003 Jun 21;22(6):198-205.
10. Bean JF, et al.: A comparison of leg power and leg strength within the InCHIANTI study: which influences mobility more?
J Gerontol A Biol Sci Med Sci. 2003 Aug;58(8):728-33.
11. Bartali B, et al.: Age and disability affect dietary intake.
J Nutr. 2003 Sep;133(9):2868-73.
12. Barbieri M, et al.: Chronic inflammation and the effect of IGF-I on muscle strength and power in older persons.
Am J Physiol Endocrinol Metab. 2003 Mar;284(3):E481-7.
13. Bartali B, et al.: Dietary intake estimated using different methods in two Italian older populations.
Arch Gerontol Geriatr. 2004 Jan-Feb;38(1):51-60.
14. Cesari M, et al.: Antioxidants and physical performance in elderly persons: the Invecchiare in Chianti (InCHIANTI) study.
Am J Clin Nutr. 2004 Feb;79(2):289-94. Erratum in: *Am J Clin Nutr.* 2004 Jul;80(1):238.
15. McDermott MM, et al.: Impairments of muscles and nerves associated with peripheral arterial disease and their relationship with lower extremity functioning: the InCHIANTI Study.
J Am Geriatr Soc. 2004 Mar;52(3):405-10.
16. Cesari M, et al.: Inflammatory markers and physical performance in older persons: the InCHIANTI study.
J Gerontol A Biol Sci Med Sci. 2004 Mar;59(3):242-8.
17. Cesari M, et al.: Hemoglobin levels and skeletal muscle: results from the InCHIANTI study.
J Gerontol A Biol Sci Med Sci. 2004 Mar;59(3):249-54.
18. Penninx BW, et al.: Anemia is associated with disability and decreased physical performance and muscle strength in the elderly.
J Am Geriatr Soc. 2004 May;52(5):719-24.

19. [Valenti G, et al.:](#) Effect of DHEAS on skeletal muscle over the life span: the InCHIANTI study. *J Gerontol A Biol Sci Med Sci.* 2004 May;59(5):466-72.
20. [Abbatecola AM, et al.:](#) Diverse effect of inflammatory markers on insulin resistance and insulin-resistance syndrome in the elderly. *J Am Geriatr Soc.* 2004 Mar;52(3):399-404.
21. [Ferrucci L, et al.:](#) Neurological examination findings to predict limitations in mobility and falls in older persons without a history of neurological disease. *Am J Med.* 2004 Jun 15;116(12):807-15.
22. [Blanc P, et al.:](#) Chlamydia pneumoniae seropositivity and cardiovascular risk factors: The InCHIANTI Study. *J Am Geriatr Soc.* 2004 Oct;52(10):1626-31.
23. [Abbatecola AM, et al.:](#) Insulin resistance and executive dysfunction in older persons. *J Am Geriatr Soc.* 2004 Oct;52(10):1713-8.
24. [Cesari M, et al.:](#) Bone density and hemoglobin levels in older persons: results from the InCHIANTI study. *Osteoporos Int.* 2005 Jun;16(6):691-9.
25. [Ble A, et al.:](#) Executive function correlates with walking speed in older persons: the InCHIANTI study. *J Am Geriatr Soc.* 2005 Mar;53(3):410-5.
26. [Cherubini A, et al.:](#) Vitamin E levels, cognitive impairment and dementia in older persons: the InCHIANTI study. *Neurobiol Aging.* 2005 Jul;26(7):987-94.
27. [Ble A, et al.:](#) Relation of plasma leptin to C-reactive protein in older adults (from the Invecchiare nel Chianti study). *Am J Cardiol.* 2005 Oct 1;96(7):991-5.
28. [Abbatecola AM, et al.:](#) Insulin resistance and muscle strength in older persons. *J Gerontol A Biol Sci Med Sci.* 2005 Oct;60(10):1278-82.
29. [Vezzoli G, et al.:](#) Urinary calcium is a determinant of bone mineral density in elderly men participating in the InCHIANTI study. *Kidney Int.* 2005 May;67(5):2006-14.
30. [Elosua R, et al.:](#) Association between physical activity, physical performance, and inflammatory biomarkers in an elderly population: the InCHIANTI study. *J Gerontol A Biol Sci Med Sci.* 2005 Jun;60(6):760-7.
31. [Geroldi C, et al.:](#) Insulin resistance in cognitive impairment: the InCHIANTI study. *Arch Neurol.* 2005 Jul;62(7):1067-72.
32. [Gori AM, et al.:](#) A proinflammatory state is associated with hyperhomocysteinemia in the elderly. *Am J Clin Nutr.* 2005 Aug;82(2):335-41.
33. [McDermott MM, et al.:](#) Patterns of inflammation associated with peripheral arterial disease: the InCHIANTI study. *Am Heart J.* 2005 Aug;150(2):276-81.
34. [Ferrucci L, et al.:](#) The origins of age-related proinflammatory state. *Blood.* 2005 Mar 15;105(6):2294-9.
35. [Onder G, et al.:](#) Anemia is associated with depression in older adults: results from the InCHIANTI study. *J Gerontol A Biol Sci Med Sci.* 2005 Sep;60(9):1168-72.
36. [Ble A, et al.:](#) Renal function, erythropoietin, and anemia of older persons: the InCHIANTI study. *Arch Intern Med.* 2005 Oct 24;165(19):2222-7.

37. [Ferrucci L, et al.](#): Proinflammatory state and circulating erythropoietin in persons with and without anemia. *Am J Med.* 2005 Nov;118(11):1288.e11-1288.e19.
38. [Maggio D, et al.](#): 25(OH)D Serum levels decline with age earlier in women than in men and less efficiently prevent compensatory hyperparathyroidism in older adults. *J Gerontol A Biol Sci Med Sci.* 2005 Nov;60(11):1414-9
39. [Maggio M, et al.](#): The relationship between testosterone and molecular markers of inflammation in older men. *J Endocrinol Invest.* 2005;28(11 Suppl Proceedings):116-9. Review.
40. [Antonelli-Incalzi R, et al.](#): Association between nutrient intake and peripheral artery disease: Results from the InCHIANTI study. *Atherosclerosis.* 2006 May;186(1):200-6.
41. [Ferrucci L, et al.](#): Relationship of plasma polyunsaturated fatty acids to circulating inflammatory markers. *J Clin Endocrinol Metab.* 2006;91(2):439-46.
42. [Maggio M, et al.](#): Correlation between testosterone and the inflammatory marker soluble interleukin-6 receptor (sIL-6r) in older men. *J Clin Endocrinol Metab.* 2006;91(1):345-7.
43. [Lauretani F, et al.](#): Axonal degeneration affects muscle density in older men and women. *Neurobiol Aging.* 2006 Aug;27(8):1145-54.
44. [Di Iorio A, et al.](#): Markers of inflammation, vitamin E and peripheral nervous system function The InCHIANTI study. *Neurobiol Aging.* 2006 Sep;27(9):1280-8.
45. [Ferrucci L, et al.](#): Low testosterone levels and the risk of anemia in older men and women. *Arch Intern Med.* 2006 Jul 10;166(13):1380-8.
46. [Coppin AK, et al.](#): Low socioeconomic status and disability in old age: evidence from the InChianti Study for the mediating role of physiological impairments. *J Gerontol A Biol Sci Med Sci.* 2006 Jan;61(1):86-9.1
47. [Ble A, et al.](#): Lower plasma vitamin E levels are associated with the frailty syndrome: the InCHIANTI study. *J Gerontol A Biol Sci Med Sci.* 2006 Mar;61(3):278-83.
48. [Cecchi F, et al.](#): Epidemiology of back pain in a representative cohort of Italian persons 65 years of age and older: the InCHIANTI study. *Spine.* 2006 May 1;31(10):1149-55.
49. [Maggio M, et al.](#): Relation of angiotensin-converting enzyme inhibitor treatment to insulin-like growth factor-1 serum levels in subjects >65 years of age (the InCHIANTI Study). *Am J Cardiol.* 2006 May 15;97(10):1525-9.
50. [Cesari M, et al.](#): Frailty syndrome and skeletal muscle: results from the Invecchiare in Chianti study. *Am J Clin Nutr.* 2006 May;83(5):1142-8.
51. [Gori AM, et al.](#): Predictors of vitamin B6 and folate concentrations in older persons: The InCHIANTI Study. *Clin Chem.* 2006 Jul;52(7):1318-24.
52. [Ruggiero C, et al.](#): Uric acid and inflammatory markers. *Eur Heart J.* 2006 May;27(10):1174-81.
53. [Lauretani F, et al.](#): Correlates of bone quality in older persons. *Bone.* 2006 Oct;39(4):915-21.
54. [Russo CR, et al.](#): Structural adaptations to bone loss in aging men and women. *Bone.* 2006 Jan;38(1):112-8.

55. [Bartali B, et al.](#): Low nutrient intake is an essential component of frailty in older persons. *J Gerontol A Biol Sci Med Sci.* 2006 Jun;61(6):589-93.
56. [Dominguez LJ, et al.](#): Magnesium and muscle performance in older persons: the InCHIANTI study. *Am J Clin Nutr.* 2006 Aug;84(2):419-26.
57. [Patel KV, et al.](#): Midlife physical activity and mobility in older age: The InCHIANTI study. *Am J Prev Med.* 2006 Sep;31(3):217-24.
58. [Francesconi P, et al.](#): [Prevalence of dementia in Tuscany: results from four population-based epidemiological studies] *Epidemiol Prev.* 2006 Jul-Oct;30(4-5):237-44. Italian.
59. [Marsh AP, et al.](#): Lower extremity strength and power are associated with 400-meter walk time in older adults: The InCHIANTI Study. *J Gerontol A Biol Sci Med Sci.* 2006 Nov;61(11):1186-1193.
60. [Melzer D, et al.](#): Effects of the diabetes linked TCF7L2 polymorphism in a representative older population. *BMC Med.* 2006 Dec 20;4(1):34.
61. [Maggio M, et al.](#): Association between hormones and metabolic syndrome in older Italian men. *J Am Geriatr Soc.* 2006 Dec;54(12):1832-8.
62. [Coppin AK, et al.](#): Association of executive function and performance of dual-task physical tests among older adults: analyses from the InChianti study. *Age Ageing.* 2006 Nov;35(6):619-24.
63. [Bandinelli S, et al.](#): Adding challenge to performance-based tests of walking: The Walking InCHIANTI Toolkit (WIT). *Am J Phys Med Rehabil.* 2006 Dec;85(12):986-91.
64. [Weedon MN, et al.](#): A common haplotype of the glucokinase gene alters fasting glucose and birth weight: association in six studies and population-genetics analyses. *Am J Hum Genet.* 2006 Dec;79(6):991-1001.
65. [Zuliani G, et al.](#): High interleukin-6 plasma levels are associated with low HDL-C levels in community-dwelling older adults: The InChianti study. *Atherosclerosis.* 2007 Jun;192(2):384-90.
66. [Ferrucci L, et al.](#): Unexplained anaemia in older persons is characterised by low erythropoietin and low levels of pro-inflammatory markers. *Br J Haematol.* 2007 Mar;136(6):849-55.
67. [Maggio M, et al.](#): Association of hormonal dysregulation with metabolic syndrome in older women: data from the InCHIANTI study. *Am J Physiol Endocrinol Metab.* 2007 Jan;292(1):E353-8.
68. [Schrager MA, et al.](#): Sarcopenic obesity and inflammation in the InCHIANTI study. *J Appl Physiol.* 2007 Mar;102(3):919-25.
69. [Frayling TM, et al.](#): A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. *Science.* 2007 May 11;316(5826):889-94.
70. [Frayling TM, et al.](#): An interleukin-18 polymorphism is associated with reduced serum concentrations and better physical functioning in older people. *J Gerontol A Biol Sci Med Sci.* 2007 Jan;62(1):73-8.
71. [Vogelzangs N, et al.](#): Hypercortisolemic depression is associated with the metabolic syndrome in late-life. *Psychoneuroendocrinology.* 2007 Feb;32(2):151-9.
72. [Shumway-Cook A, et al.](#): Age-associated declines in complex walking task performance: the Walking InCHIANTI toolkit. *J Am Geriatr Soc.* 2007 Jan;55(1):58-65.

73. [Houston DK, et al.](#): Association between vitamin D status and physical performance: the InCHIANTI study. *J Gerontol A Biol Sci Med Sci.* 2007 Apr;62(4):440-6.
74. [Melzer D, et al.](#): A common variant of the p16(INK4a) genetic region is associated with physical function in older people. *Mech Ageing Dev.* 2007 May-Jun;128(5-6):370-7.
75. [Cepollaro C, et al.](#): Relationship of volumetric bone mineral density and structural parameters with ERalpha gene polymorphisms. *Calcif Tissue Int.* 2007 May;80(5):307-15.
76. [Mannucci E, et al.](#): Eating habits in elderly diabetic subjects: Assessment in the InCHIANTI Study. *Nutr Metab Cardiovasc Dis.* 2008 May;18(4):278-82.
77. [Penninx BW, et al.](#): Late-life depressive symptoms are associated with both hyperactivity and hypoactivity of the hypothalamo-pituitary-adrenal axis. *Am J Geriatr Psychiatry.* 2007 Jun;15(6):522-529.
78. [Rafiq S, et al.](#): Common genetic variation in the gene encoding interleukin-1-receptor antagonist (IL-1RA) is associated with altered circulating IL-1RA levels. *Genes Immun.* 2007 Jun;8(4):344-51.
79. [Ruggiero C, et al.](#): Usefulness of uric acid to predict changes in C-reactive protein and interleukin-6 in 3-year period in Italians aged 21 to 98 years. *Am J Cardiol.* 2007 Jul 1;100(1):115-121.
80. [Lauretani F, et al.](#): Omega-6 and omega-3 fatty acids predict accelerated decline of peripheral nerve function in older persons. *Eur J Neurol.* 2007 Jul;14(7):801-8.
81. [Giannelli SV, et al.](#): Magnitude of under ascertainment of impaired kidney function in older adults with normal serum creatinine. *J Am Geriatr Soc.* 2007 Jun;55(6):816-23.
82. [Antonelli-Incalzi R, et al.](#): Relationship between the occiput-wall distance and physical performance in the elderly: a cross sectional study. *Aging Clin Exp Res.* 2007 Jun;19(3):207-12.
83. [Ruggiero C, et al.](#): The interplay between uric acid and antioxidants in relation to physical function in older persons. *J Am Geriatr Soc.* 2007 Aug;55(8):1206-1215.
84. [Lauretani F, et al.](#): Association of low plasma selenium concentrations with poor muscle strength in older community-dwelling adults: the InCHIANTI Study. *Am J Clin Nutr.* 2007 Aug;86(2):347-52.
85. [Alley DE, et al.](#): Three-year change in inflammatory markers in elderly people and mortality: The Invecchiare in Chianti Study. *J Am Geriatr Soc.* 2007 Nov;55(11):1801-7.
86. [Cherubini A, et al.](#): Low plasma N-3 fatty acids and dementia in older persons: the InCHIANTI study. *J Gerontol A Biol Sci Med Sci.* 2007 Oct;62(10):1120-6.
87. [Li S, et al.](#): The GLUT9 gene is associated with serum uric acid levels in Sardinia and InCHIANTI Cohorts. *PLoS Genet.* 2007 Nov 9;3(11):e194.
88. [Maggio M, et al.](#): Relationship between low levels of anabolic hormones and 6-year mortality in older men: The Aging in the Chianti Area (InCHIANTI) Study. *Arch Intern Med.* 2007 Nov 12;167(20):2249-54.
89. [Di Iorio A, et al.](#): From chronic low back pain to disability, a multifactorial mediated pathway: the InCHIANTI study. *Spine.* 2007 Dec 15;32(26):E809-15.

90. Rafiq S, et al.: A common variant of the interleukin 6 receptor (IL-6r) gene increases IL-6r and IL-6 levels, without other inflammatory effects.
Genes Immun. 2007 Oct;8(7):552-9.
91. Deshpande N, et al.: Psychological, physical, and sensory correlates of fear of falling and consequent activity restriction in the elderly: The InCHIANTI Study.
Am J Phys Med Rehabil. 2008 May;87(5):354-62.
92. Lauretani F, et al.: Plasma polyunsaturated fatty acids and the decline of renal function.
Clin Chem. 2008 Mar;54(3):475-81.
93. Lauretani F, et al.: Longitudinal changes in bone density and geometry in a population-based study.
J Bone Miner Res. 2008 Mar;23(3):400-8.
94. Volpato S, et al.: High-density lipoprotein cholesterol and objective measures of lower extremity performance in older nondisabled persons: The InChianti Study.
J Am Geriatr Soc. 2008 Apr;56(4):621-9.
95. Bartali B, et al.: Serum micronutrient concentrations and decline in physical function among older persons.
JAMA. 2008 Jan 23;299(3):308-15.
96. Deshpande N, et al.: Activity restriction Induced by fear of falling and objective and subjective measures of physical function: a prospective cohort study.
J Am Geriatr Soc. 2008 Apr;56(4):615-20.
97. Hicks GE, et al L.: Associations between vitamin D status and pain in older adults: The Invecchiare in Chianti Study.
J Am Geriatr Soc. 2008 May;56(5):785-91.
98. Cecchi F, et al.: Epidemiology of hip and knee pain in a community based sample of Italian persons aged 65 and older.
Osteoarthritis Cartilage. 2008 Sep;16(9):1039-46.
99. Freathy RM, et al.: Common variation in the FTO gene alters diabetes-related metabolic traits to the extent expected given its effect on BMI.
Diabetes. 2008 May;57(5):1419-26.
100. Lauretani F, et al.: Low plasma carotenoids and skeletal muscle strength decline over 6 years.
J Gerontol A Biol Sci Med Sci. 2008 Apr;63(4):376-83.
101. Lauretani F, et al.: Low plasma selenium concentrations and mortality among older community-dwelling adults: the InCHIANTI Study.
Aging Clin Exp Res. 2008 Apr;20(2):153-8.
102. Lauretani F, et al.: Erythropoietin and polyneuropathy in older persons.
Mech Ageing Dev. 2008 Jun;129(6):299-303.
103. Melzer D, et al.: A genome-wide association study identifies protein quantitative trait loci (pQTLs).
PLoS Genet. 2008 May 9;4(5):e1000072.
104. Panicker V, et al.: A Common variation in deiodinase 1 gene DIO1 is associated with the relative levels of free thyroxine and triiodothyronine.
J Clin Endocrinol Metab. 2008 Aug;93(8):3075-81.
105. Arnaud-Lopez L, et al.: Phosphodiesterase 8B gene variants are associated with serum TSH levels and thyroid function.
Am J Hum Genet. 2008 Jun;82(6):1270-80.
106. Macchi C, et al.: Higher circulating levels of uric acid are prospectively associated with better muscle function in older persons.
Mech Ageing Dev. 2008 Sep;129(9):522-7.

107. [Lauretani F, et al.](#): Carotenoids as protection against disability in older persons. *Rejuvenation Res.* 2008 Jun;11(3):557-63.
108. [Lauretani F, et al.](#): Low total plasma carotenoids are independent predictors of mortality among older persons: The InCHIANTI study. *Eur J Nutr.* 2008 Sep;47(6):335-40.
109. [Rafiq S, et al.](#): Gene variants influencing measures of inflammation or predisposing to autoimmune and inflammatory diseases are not associated with the risk of type 2 diabetes. *Diabetologia.* 2008 Dec;51(12):2205-13.
110. [Yuan X, et al.](#): Population-based genome-wide association studies reveal six loci influencing plasma levels of liver enzymes. *Am J Hum Genet.* 2008 Oct;83(4):520-8.
111. [Maggio M, et al.](#): Sex hormone binding globulin levels across the adult lifespan in women - The role of body mass index and fasting insulin. *J. Endocrinol. Invest.* 2008 Jul;31(7):597-601.
112. [Ceresini G, et al.](#): Thyroid function abnormalities and cognitive impairment in elderly people: results of the Invecchiare in Chianti Study. *J Am Geriatr Soc.* 2009 Jan;57(1):89-93.
113. [Pizzarelli F, et al.](#): Predictivity of survival according to different equations for estimating GFR in community-dwelling elderly subjects. *Nephrol Dial Transplant.* 2009 Apr;24(4):1197-205.
114. [Zuliani G, et al.](#): Elevated C-reactive protein levels and metabolic syndrome in the elderly: The role of central obesity Data from the InChianti study. *Atherosclerosis.* 2009 Apr;203(2):626-32.
115. [Shardell M, et al.](#): Association of low vitamin D levels with the frailty syndrome in men and women. *J Gerontol A Biol Sci Med Sci.* 2009 Jan;64(1):69-75.
116. [Maggio M, et al.](#): Estradiol and inflammatory markers in older men. *J Clin Endocrinol Metab.* 2009 Feb;94(2):518-22.
117. [Maggio M, et al.](#): Estradiol and metabolic syndrome in older Italian men: The InCHIANTI Study. *J Clin Endocrinol Metab.* 2009 Feb;94(2):518-22.
118. [Ruggiero C, et al.](#): Uric acid and dementia in community-dwelling older persons. *Dement Geriatr Cogn Disord.* 2009 Apr 1;27(4):382-389.
119. [Milaneschi Y, et al.](#): Interleukin-1 receptor antagonist and incident depressive symptoms over 6 years in older persons: the InCHIANTI Study. *Biol Psychiatry.* 2009 Jun 1;65(11):973-8.
120. [Tanaka T, et al.](#): Genome-wide association study of plasma polyunsaturated fatty acids in the InCHIANTI Study. *PLoS Genet.* 2009 Jan;5(1):e1000338.
121. [Ferrucci L, et al.](#): Common variation in the beta-carotene 15,15'-monooxygenase 1 gene affects circulating levels of carotenoids: a genome-wide association study. *Am J Hum Genet.* 2009 Feb;84(2):123-33.
122. [Vestergaard S, et al.](#): Fatigue in a representative population of older persons and its association with functional impairment, functional limitation, and disability. *J Gerontol A Biol Sci Med Sci.* 2009 Jan;64(1):76-82.
123. [Chiò A, et al.](#): A two-stage genome-wide association study of sporadic amyotrophic lateral sclerosis. *Hum Mol Genet.* 2009 Apr 15;18(8):1524-32.

124. [Abbatecola AM, et al.](#): Plasma polyunsaturated fatty acids and age-related physical performance decline. *Rejuvenation Res.* 2009 Feb;12(1):25-32.
125. [Tanaka T, et al.](#): Genome-wide association study of vitamin B6, vitamin B12, folate, and homocysteine blood concentrations. *Am J Hum Genet.* 2009 Apr;84(4):477-82.
126. [Murray A, et al.](#): Common lipid-altering gene variants are associated with therapeutic intervention thresholds of lipid levels in older people. *Eur Heart J.* 2009 Jul;30(14):1711-9.
127. [Newton-Cheh C, et al.](#): Genome-wide association study identifies eight loci associated with blood pressure. *Nat Genet.* 2009 Jun;41(6):666-76.
128. [Perry JR, et al.](#): Meta-analysis of genome-wide association data identifies two loci influencing age at menarche. *Nat Genet.* 2009 Jun;41(6):648-50.
129. [Vasunilashorn S, et al.](#): Use of the short physical performance battery score to predict loss of ability to walk 400 meters: analysis from the InCHIANTI study. *J Gerontol A Biol Sci Med Sci.* 2009 Feb;64(2):223-9.1.
130. [Cesari M, et al.](#): Skeletal muscle and mortality results from the InCHIANTI Study. *J Gerontol A Biol Sci Med Sci.* 2009 Mar;64(3):377-84.
131. [Stenholm S, et al.](#): The effect of obesity combined with low muscle strength on decline in mobility in older persons: results from the InCHIANTI study. *Int J Obes (Lond).* 2009 Jun;33(6):635-44.
132. [Semba RD, et al.](#): Carboxymethyl-lysine, an advanced glycation end product, and decline of renal function in older community-dwelling adults. *Eur J Nutr.* 2009 Feb;48(1):38-44.
133. [Lindgren CM, et al.](#): Genome-wide association scan meta-analysis identifies three loci influencing adiposity and fat distribution. *PLoS Genet.* 2009 Jun;5(6):e1000508.
134. [Deshpande N, et al.](#): Gait speed under varied challenges and cognitive decline in older persons: a prospective study. *Age Ageing.* 2009 Sep;38(5):509-14.
135. [Rice NE, et al.](#): The paraoxonase (PON1) Q192R polymorphism is not associated with poor health status or depression in the ELSA or INCHIANTI studies. *Int J Epidemiol.* 2009 Oct;38(5):1374-9.
136. [Vestergaard S, et al.](#): Characteristics of 400 meter walk test performance and subsequent mortality in older adults. *Rejuvenation Res.* 2009 Jun;12(3):177-84.
137. [Valenti G, et al.](#): DHEAS and cognitive function in the elderly: The InCHIANTI Study. *J Endocrinol Invest.* 2009 Oct;32(9):766-72.
138. [Semba RD, et al.](#): Plasma carboxymethyl-lysine, an advanced glycation end product, and all-cause and cardiovascular disease mortality in older community-dwelling adults. *J Am Geriatr Soc.* 2009 Oct;57(10):1874-80.
139. [Thomas K, et al.](#): Interleukin-18 polymorphism and physical functioning in older people: a replication study and meta-analysis. *J Gerontol A Biol Sci Med Sci.* 2009 Nov;64(11):1177-82.
140. [Zhu S, et al.](#): Predictors of interleukin-6 elevation in older adults. *J Am Geriatr Soc.* 2009 Sep;57(9):1672-7.

141. [Perry JR, et al.](#): Circulating beta-carotene levels and type 2 diabetes-cause or effect?
Diabetologia. 2009 Oct;52(10):2117-21.
142. [Maggio M, et al.](#): Relationship between higher estradiol levels and 9-year mortality in older women: The Invecchiare in Chianti Study.
J Am Geriatr Soc. 2009 Oct;57(10):1810-5.
143. [Bandeem-Roche K, et al.](#): Measuring systemic inflammatory regulation in older adults: evidence and utility.
Rejuvenation Res. 2009 Dec;12(6):403-10.
144. [Cecchi F, et al.](#): Measures of physical performance capture the excess disability associated with hip pain or knee pain in older persons.
J Gerontol A Biol Sci Med Sci. 2009 Dec;64(12):1316-24.
145. [Wheeler HE, et al.](#): Sequential use of transcriptional profiling, expression quantitative trait mapping, and gene association implicates MMP20 in human kidney aging.
PLoS Genet. 2009 Oct;5(10):e1000685.
146. [Ganesh SK, et al.](#): Multiple loci influence erythrocyte phenotypes in the CHARGE Consortium.
Nat Genet. 2009 Nov;41(11):1191-8.
147. [Stenholm S, et al.](#): Adipocytokines and the metabolic syndrome among older persons with and without obesity - the InCHIANTI Study.
Clin Endocrinol (Oxf). 2010 Jul;73(1):55-65.
148. [Patel KV, et al.](#): Red cell distribution width and mortality in older adults: a meta-analysis.
J Gerontol A Biol Sci Med Sci. 2010 Mar;65(3):258-65.
149. [Lauretani F, et al.](#): Omega-3 and renal function in older adults.
Curr Pharm Des. 2009;15(36):4149-56.
150. [Cluett C, et al.](#): The 9p21 myocardial infarction risk allele increases risk of peripheral artery disease in older people.
Circ Cardiovasc Genet. 2009 Aug;2(4):347-53.
151. [Bandinelli S, et al.](#): Chair stands test and survival in the older population.
J Am Geriatr Soc. 2009 Nov;57(11):2172-3
152. [Richards JB, et al.](#): A genome-wide association study reveals variants in ARL15 that influence adiponectin levels.
PLoS Genet. 2009 Dec;5(12):e1000768.
153. [Pedone C, et al.](#): Quality of diet and potential renal acid load as risk factors for reduced bone density in elderly women.
Bone. 2010 Apr;46(4):1063-7.
154. [Semba RD, et al.](#): Relationship of 25-hydroxyvitamin D with all-cause and cardiovascular disease mortality in older community-dwelling adults.
Eur J Clin Nutr. 2010 Feb;64(2):203-9.
155. [Ferrucci L, et al.](#): Proinflammatory state, hepcidin and anemia in older persons.
Blood. 2010 May 6;115(18):3810-6.
156. [Balzi D, et al.](#): Risk factors for disability in older persons over 3-year follow-up.
Age Ageing. 2010 Jan;39(1):92-8. Epub 2009 Nov 20.
157. [Milaneschi Y, et al.](#): Personal Mastery and lower body mobility in community-dwelling older persons: The Invecchiare in Chianti Study.
J Am Geriatr Soc. 2010 Jan;58(1):98-103
158. [Tanaka T, et al.](#): A genome-wide association analysis of serum iron concentrations.
Blood. 2010 Jan 7;115(1):94-6.

159. [Semba RD, et al.](#): Relationship of an advanced glycation end product, plasma carboxymethyl-lysine, with slow walking speed in older adults: the InCHIANTI study.
Eur J Appl Physiol. 2010 Jan;108(1):191-5
160. [Heid IM, et al.](#): Clear detection of ADIPOQ locus as the major gene for plasma adiponectin: Results of genome-wide association analyses including 4659 European individuals.
Atherosclerosis. 2010 Feb;208(2):412-20.
161. [Deshpande N, et al.](#): Interpreting fear of falling in the elderly: what do we need to consider?
J Geriatr Phys Ther. 2009;32(3):91-6.
162. [Deshpande N, et al.](#): Validity of clinically derived cumulative somatosensory impairment index.
Arch Phys Med Rehabil. 2010 Feb;91(2):226-32.
163. [Stenholm S, et al.](#): Anabolic and catabolic biomarkers as predictors of muscle strength decline: the InCHIANTI study.
Rejuvenation Research Feb 2010, Vol. 13, No. 1: 3-11.
164. [Zuliani G, et al.](#): Relationship between low levels of high-density lipoprotein cholesterol and dementia in the elderly. The InChianti Study.
J Gerontol A Biol Sci Med Sci. 2010 May;65(5):559-64.
165. [Vazzana R, et al.](#): Trail Making Test predicts physical impairment and mortality in older persons.
J Am Geriatr Soc. 2010 Apr;58(4):719-23.
166. [Maggio M, et al.](#): Association of plasma selenium concentrations with total IGF-1 among older community-dwelling adults: The InCHIANTI study.
Clin Nutr. 2010 Oct;29(5):674-7.
167. [Tobacco and Genetics Consortium](#): Genome-wide meta-analyses identify multiple loci associated with smoking behavior.
Nat Genet. 2010 May;42(5):441-7.
168. [Milaneschi Y, et al.](#): Serum 25-hydroxyvitamin D and depressive symptoms in older women and men.
J Clin Endocrinol Metab. 2010 Jul;95(7):3225-33.
169. [Volpato S, et al.](#): Lipoprotein(a), inflammation, and peripheral arterial disease in a community-based sample of older men and women (the InCHIANTI study).
Am J Cardiol. 2010 Jun 15;105(12):1825-30.
170. [Molino-Lova R, et al.](#): High sensitivity C-reactive protein predicts the development of new carotid artery plaques in older persons.
Nutr Metab Cardiovasc Dis. 2010.
171. [Llewellyn DJ, et al.](#): Vitamin D and risk of cognitive decline in elderly persons.
Arch Intern Med. 2010 Jul 12;170(13):1135-41.
172. [Shahar A, et al.](#): Plasma selenium is positively related to performance in neurological tasks assessing coordination and motor speed.
Mov Disord. 2010 Sep 15;25(12):1909-15.
173. [Kapur K, et al.](#): Genome-wide meta-analysis for serum calcium identifies significantly associated SNPs near the calcium-sensing receptor (CASR) gene.
PLoS Genet. 2010 Jul 22;6(7):e1001035.
174. [Teslovich TM, et al.](#): Biological, clinical and population relevance of 95 loci for blood lipids.
Nature. 2010 Aug 5;466(7307):707-13.
175. [Vogelzangs N, et al.](#): Urinary cortisol and six-year risk of all-cause and cardiovascular mortality.
J Clin Endocrinol Metab. 2010.

176. [Galloway T, et al.](#): Daily bisphenol A excretion and associations with sex hormone concentrations: results from the InCHIANTI adult population study.
Environ Health Perspect. 2010.
177. [Napoli, et al.](#): Adiponectin and bone mass density: The InCHIANTI study.
Bone. 2010.
178. [Soranzo N, et al.](#): Common variants at ten genomic loci influence hemoglobin A1C levels via glyceemic and non-glyceemic pathways.
Diabetes. 2010.
179. [Zuliani G, et al.](#): Plasma soluble gp130 levels are increased in older subjects with metabolic syndrome. The role of insulin resistance.
Atherosclerosis. 2010 Nov;213(1):319-24.
180. [Maggio M, et al.](#): Gonadal status and physical performance in older men.
Aging Male. 2010
181. [Jones AV, et al.](#): The JAK2 46/1 haplotype predisposes to MPL-mutated myeloproliferative neoplasms.
Blood. 2010 Jun 3;115(22):4517-23.
182. [Tabara Y, et al.](#): Common variants in the ATP2B1 gene are associated with susceptibility to hypertension: the Japanese Millennium Genome Project.
Hypertension. 2010 Nov;56(5):973-80.
183. [Milaneschi Y, et al.](#): Depressive symptoms and inflammation increase in a prospective study of older adults: a protective effect of a healthy (Mediterranean-style) diet.
Mol Psychiatry. 2010.